

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A								
Interface Name/Id		Tesco Bank Open Banking API						
Day	Availability statistics		Performance statistics					
	Interface type	B	Payment services user interface	Dedicated interface				
		Dedicated Interface						
		C						
	Has exemption been granted for dedicated interface?							
	Yes							
Uptime (%)	Downtime (%)	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)		
D	E	F	G	H	I	J		
1	100.00	0.00		569	429	0	0.01	
2	100.00	0.00		594	406	0	0	
3	100.00	0.00		590	419	0	0	
4	100.00	0.00		579	416	0	0	
5	100.00	0.00		570	376	0	0.02	
6	100.00	0.00		591	422	0	0.01	
7	100.00	0.00		637	436	0	0.3	
8	100.00	0.00		597	458	0	0	
9	100.00	0.00		597	428	0	0.01	
10	100.00	0.00		604	434	0	0.01	
11	100.00	0.00		590	466	0	0.01	
12	82.64	17.36		820	417	0	1.59	
13	100.00	0.00		613	462	0	0.01	
14	100.00	0.00		621	468	0	0.11	
15	100.00	0.00		628	505	0	0.27	
16	100.00	0.00		598	408	0	0	
17	100.00	0.00		604	427	0	0	
18	100.00	0.00		625	421	0	0.11	
19	100.00	0.00		576	390	0	0	
20	100.00	0.00		598	375	0	0.03	
21	100.00	0.00		612	414	0	0.07	
22	100.00	0.00		613	404	0	0.01	
23	100.00	0.00		614	447	0	0.01	
24	100.00	0.00		615	433	0	0.01	
25	100.00	0.00		602	410	0	0.01	
26	100.00	0.00		609	324	0	0.03	
27	100.00	0.00		632	415	0	0.14	
28	100.00	0.00		617	487	0	0.11	
29	100.00	0.00		602	390	0	0.04	
30	100.00	0.00		611	385	0	0.13	
31	100.00	0.00		609	374	0	0.01	
32	100.00	0.00		590	431	0	0	
33	100.00	0.00		583	423	0	0.02	
34	100.00	0.00		611	504	0	0.01	
35	100.00	0.00		616	494	0	0	
36	100.00	0.00		607	457	0	0	
37	100.00	0.00		613	424	0	0.01	
38	100.00	0.00		617	443	0	0.01	
39	100.00	0.00		609	435	0	0	
40	76.04	23.96		1244	454	0	3.5	
41	100.00	0.00		613	451	0	0	
42	100.00	0.00		614	424	0	0.01	
43	100.00	0.00		609	450	0	0.01	
44	100.00	0.00		609	436	0	0.01	
45	100.00	0.00		635	457	0	0.07	
46	100.00	0.00		612	445	0	0.01	
47	100.00	0.00		588	422	0	0.01	
48	100.00	0.00		612	497	0	0.01	
49	100.00	0.00		609	445	0	0.01	
50	100.00	0.00		569	368	0	0.02	
51	100.00	0.00		507	357	0	0.01	
52	100.00	0.00		522	367	0	0.11	
53	100.00	0.00		503	355	0	0.01	
54	73.68	26.32		3359	340	0	11.95	
55	100.00	0.00		518	373	0	0.01	
56	100.00	0.00		530	430	0	0.01	
57	100.00	0.00		544	366	0	0.01	
58	100.00	0.00		568	408	0	0.01	
59	100.00	0.00		698	477	0	0.04	
60	100.00	0.00		438	553	0	0.01	
61	100.00	0.00		434	552	0	0.03	
62	100.00	0.00		498	636	0	0.02	
63	100.00	0.00		453	579	0	0.03	
64	100.00	0.00		368	540	0	0.01	
65	100.00	0.00		376	543	0	0.01	
66	100.00	0.00		464	591	0	0.11	
67	96.53	3.47		398	539	0	1.25	
68	79.93	20.07		358	518	0	6.27	
69	100.00	0.00		433	586	0	0.01	
70	98.61	1.39		427	569	0	0.01	
71	96.25	3.75		428	568	0	0.45	
72	100.00	0.00		419	577	0	0.01	
73	100.00	0.00		444	593	0	0.01	

74	96.18	3.82		412	619	0	0.71
75	82.08	17.92		428	996	0	1.58
76	100.00	0.00		424	568	0	0.01
77	100.00	0.00		399	570	0	1.56
78	100.00	0.00		407	570	0	0
79	100.00	0.00		385	551	0	0.01
80	100.00	0.00		358	508	0	0.01
81	84.03	15.97		342	476	0	6.97
82	73.47	26.53		312	461	0	8.34
83	100.00	0.00		375	508	0	0.01
84	100.00	0.00		365	522	0	0.03
85	100.00	0.00		381	518	0	0.01
86	100.00	0.00		394	522	0	0.01
87	100.00	0.00		401	559	0	0.06
88	100.00	0.00		373	505	0	0
89	100.00	0.00		346	502	0	0.02
90	100.00	0.00		385	541	0	0.01
91							
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Online Banking					
Day	Availability statistics		Performance statistics				
	B		Payment services user interface	Dedicated interface			
	PSU Interface						
	C						
	Has exemption been granted for dedicated interface?						
	Yes						
Uptime (%)	Downtime (%)	Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)	
D	E	F	G	H	I	J	
1	100.00	0.00	479				
2	100.00	0.00	501				
3	100.00	0.00	489				
4	100.00	0.00	478				
5	100.00	0.00	471				
6	100.00	0.00	493				
7	100.00	0.00	555				
8	100.00	0.00	486				
9	100.00	0.00	491				
10	100.00	0.00	508				
11	100.00	0.00	484				
12	82.64	17.36	637				
13	100.00	0.00	509				
14	100.00	0.00	518				
15	100.00	0.00	512				
16	100.00	0.00	490				
17	100.00	0.00	493				
18	100.00	0.00	487				
19	100.00	0.00	486				
20	100.00	0.00	493				
21	100.00	0.00	507				
22	100.00	0.00	511				
23	100.00	0.00	511				
24	100.00	0.00	511				
25	100.00	0.00	498				
26	100.00	0.00	540				
27	100.00	0.00	531				
28	100.00	0.00	499				
29	100.00	0.00	498				
30	100.00	0.00	495				
31	100.00	0.00	505				
32	100.00	0.00	484				
33	100.00	0.00	480				
34	100.00	0.00	512				
35	99.31	0.69	503				
36	93.61	6.39	497				
37	100.00	0.00	497				
38	100.00	0.00	500				
39	100.00	0.00	501				
40	76.04	23.96	626				
41	100.00	0.00	504				
42	100.00	0.00	505				
43	100.00	0.00	492				
44	100.00	0.00	489				
45	100.00	0.00	504				
46	100.00	0.00	485				
47	100.00	0.00	475				
48	100.00	0.00	502				
49	100.00	0.00	497				
50	100.00	0.00	476				
51	100.00	0.00	455				
52	100.00	0.00	457				
53	100.00	0.00	451				
54	73.68	26.32	633				
55	100.00	0.00	471				
56	100.00	0.00	471				
57	100.00	0.00	467				
58	100.00	0.00	484				
59	100.00	0.00	609				
60	100.00	0.00	478				
61	100.00	0.00	466				
62	100.00	0.00	533				
63	100.00	0.00	482				
64	100.00	0.00	457				
65	100.00	0.00	456				
66	100.00	0.00	492				
67	96.53	3.47	473				
68	79.93	20.07	451				
69	100.00	0.00	476				
70	98.61	1.39	476				
71	96.25	3.75	470				
72	100.00	0.00	481				
73	100.00	0.00	491				
74	96.18	3.82	467				
75	82.08	17.92	461				

76	100.00	0.00	476				
77	100.00	0.00	469				
78	100.00	0.00	468				
79	100.00	0.00	472				
80	100.00	0.00	447				
81	84.03	15.97	441				
82	73.47	26.53	440				
83	100.00	0.00	450				
84	100.00	0.00	422				
85	100.00	0.00	454				
86	100.00	0.00	465				
87	100.00	0.00	452				
88	100.00	0.00	444				
89	100.00	0.00	444				
90	100.00	0.00	483				
91							
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Mobile Banking					
Day	Availability statistics		Performance statistics				
	Interface type	B	Payment services user interface	Dedicated interface			
		PSU Interface					
		C					
	Has exemption been granted for dedicated interface?	Yes					
	Uptime (%)	Downtime (%)	Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	514				
2	100.00	0.00	555				
3	100.00	0.00	546				
4	100.00	0.00	531				
5	100.00	0.00	501				
6	100.00	0.00	535				
7	100.00	0.00	573				
8	100.00	0.00	529				
9	100.00	0.00	530				
10	100.00	0.00	538				
11	100.00	0.00	519				
12	100.00	0.00	630				
13	100.00	0.00	508				
14	100.00	0.00	504				
15	100.00	0.00	523				
16	100.00	0.00	504				
17	100.00	0.00	516				
18	100.00	0.00	503				
19	100.00	0.00	476				
20	100.00	0.00	511				
21	100.00	0.00	512				
22	100.00	0.00	508				
23	100.00	0.00	521				
24	100.00	0.00	600				
25	96.60	3.40	498				
26	83.06	16.94	484				
27	100.00	0.00	523				
28	100.00	0.00	543				
29	100.00	0.00	517				
30	100.00	0.00	543				
31	100.00	0.00	580				
32	100.00	0.00	522				
33	100.00	0.00	512				
34	100.00	0.00	549				
35	98.13	1.88	563				
36	93.54	6.46	552				
37	100.00	0.00	515				
38	100.00	0.00	521				
39	100.00	0.00	511				
40	95.83	4.17	511				
41	100.00	0.00	501				
42	100.00	0.00	497				
43	98.61	1.39	508				
44	100.00	0.00	494				
45	100.00	0.00	510				
46	100.00	0.00	490				
47	100.00	0.00	474				
48	100.00	0.00	513				
49	100.00	0.00	509				
50	100.00	0.00	508				
51	100.00	0.00	518				
52	100.00	0.00	516				
53	100.00	0.00	490				
54	73.68	26.32	509				
55	100.00	0.00	526				
56	100.00	0.00	517				
57	100.00	0.00	513				
58	100.00	0.00	525				
59	100.00	0.00	613				
60	100.00	0.00	510				
61	100.00	0.00	487				
62	100.00	0.00	517				
63	100.00	0.00	518				
64	100.00	0.00	514				
65	100.00	0.00	503				
66	100.00	0.00	522				
67	96.39	3.61	485				
68	80.00	20.00	471				
69	100.00	0.00	492				
70	98.47	1.53	499				
71	96.32	3.68	494				
72	100.00	0.00	498				
73	100.00	0.00	506				

74	100.00	0.00	522				
75	100.00	0.00	498				
76	100.00	0.00	498				
77	100.00	0.00	499				
78	100.00	0.00	498				
79	100.00	0.00	509				
80	100.00	0.00	508				
81	84.24	15.76	496				
82	73.40	26.60	479				
83	100.00	0.00	511				
84	100.00	0.00	527				
85	100.00	0.00	529				
86	100.00	0.00	538				
87	100.00	0.00	558				
88	100.00	0.00	499				
89	100.00	0.00	508				
90	100.00	0.00	572				
91							
92							